	Family/Species	RL	Sk	Bl	Ha	Sm	Öl	Go	GS	Ög	Vg	Bo	Ds	Nä	Sö	Up	Vs	Vr	Dr	Gä	Hs	Me	Hr	Jä	Ån	Vb	Nb	Ås	Ly	Pi	Lu	To	N
	Rhyacophilidae, rovnattsländor																																
1	Rhyacophila fasciata Hagen, 1859		1	1	0	1	-	-	-	1	1	-	-	1	1	1	1	-	1	1	1	1	0	1	1	1	1	1	1	1	0	24
2	Rhyacophila nubila (Zetterstedt, 1840)		1	1	1	1	-	-	-	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27
3	Rhyacophila obliterata McLachlan, 1863		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	0	1	-	1	-	5
	Glossosomatidae, stenhusnattsländor																																
4	Glossosoma intermedium (Klapálek, 1892)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	1	1	7
5	Glossosoma nylanderi McLachlan, 1879		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	1	-	7
6	Agapetus fuscipes Curtis, 1834	VU	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
7	Agapetus ochripes Curtis, 1834		1	-	0	1	-	1	-	3	0	1	-	0	0	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	25
	Hydroptilidae, smånattsländor																																
8	Agraylea cognatella McLachlan, 1880		-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	0	1	-	1	1	12
9	Agraylea multipunctata Curtis, 1834		5	1	-	1	-	-	-	1	-	-	-	4	1	1	4	-	1	1	2	4	-	1	1	2	5	-	-	-	-	-	16
10	Agraylea sexmaculata Curtis, 1834		1	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	8
11	Hydroptila angulata Mosely, 1922		5	-	2	2	-	-	-	3	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	11
12	Hydroptila cornuta Mosely, 1922		-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	1	5	5	-	-	-	1	-	11
13	Hydroptila forcipata (Eaton, 1873)		-	-	1	2	-	-	-	1	1	-	-	-	-	1	-	-	1	1	1	1	4	1	1	1	-	1	1	-	1	-	16
13b	Hydroptila lotensis Mosely, 1920		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1
14	Hydroptila occulta (Eaton, 1873)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	3
15	Hydroptila pulchricornis Pictet, 1834		1	-	1	2	-	-	-	-	1	1	-	1	1	1	1	4	1	1	3	1	-	-	1	-	1	-	-	-	1	-	17
16	Hydroptila simulans Mosely, 1920		-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	1	1	5	1	-	1	1	-	16
17	Hydroptila sparsa Curtis, 1834		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3
18	Hydroptila tineoides Dalman, 1819		1	-	2	1	-	6	-	1	1	-	1	1	-	1	4	-	1	1	1	1	1	1	1	1	1	1	-	-	1	-	21
19	Hydroptila vectis Curtis, 1834		-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	6
20	Ithytrichia clavata Morton, 1905		-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4
21	Ithytrichia lamellaris Eaton, 1873		-	1	1	1	-	-	-	2	-	1	1	4	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	23
22	Orthotrichia angustella (McLachlan, 1865)	DD	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
23	Orthotrichia costalis (Curtis, 1834)		1	-	2	2	0	6	-	3	-	1	-	1	1	1	4	4	1	1	3	-	-	-	4	-	-	-	-	-	-	-	16
24	Orthotrichia tragetti Mosely, 1930	DD	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
25	Oxyethira boreella Svensson & Tjeder, 1975		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
26	Oxyethira distinctella McLachlan, 1880		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	1	-	6
27	Oxyethira ecornuta Morton, 1893		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	4
28	Oxyethira falcata Morton, 1893		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2
29	Oxyethira flavicornis (Pictet, 1834)		5	1	1	1	-	6	-	-	1	1	1	4	-	1	1	1	1	1	1	1	1	1	1	5	1	1	-	-	1	-	23
30	Oxyethira frici Klapálek, 1891		-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	1	1	1	1	-	1	-	14
31	Oxyethira klingstedi Nybom, 1983		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

32	Oxyethira mirabilis Morton, 1904		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	-	5
33	Oxyethira sagittifera Ris, 1897		-	-	1	1	-	-	-	-	-	1	-	4	-	1	4	-	1	-	1	1	-	-	1	1	-	-	-	-	-	-	11
34	Oxyethira simplex Ris, 1897		-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	6
35	Oxyethira tristella Klapálek, 1895		-	1	1	2	-	-	-	-	-	-	-	4	-	1	-	-	1	1	1	1	1	1	1	1	5	1	-	1	1	-	17
36	Stactobiella risi (Felber, 1908)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	2
37	Tricholeiochiton fagesii (Guinard, 1879)	NT	0	-	-	-	-	0	-	-	-	-	-	-	0	0	0	0	1	-	-	-	-	-	1	-	-	-	-	-	-	-	8
	Philopotamidae, stengömmenattsländor																																
38	Philopotamus montanus (Donovan, 1813)		1	-	1	-	-	-	-	1	1	1	-	1	-	1	0	-	1	1	1	1	1	1	1	1	1	1	1	0	1	1	22
39	Wormaldia occipitalis (Pictet, 1834)	VU	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
40	Wormaldia subnigra McLachlan, 1865		1	1	1	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	28
41	Chimarra marginata (Linnaeus, 1767)		1	1	1	1	-	-	-	1	1	1	1	1	1	-	1	1	1	1	1	1	1	-	1	0	-	-	-	1	-	-	-	19
	Psychomyiidae, tunnelnattsländor																																
42	Lype phaeopa (Stephens, 1836)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	0	-	1	-	27
43	Lype reducta (Hagen, 1868)		1	0	1	1	1	-	-	-	1	x	-	-	1	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
44	Psychomyia pusilla (Fabricius, 1781)		1	1	1	1	-	-	-	1	1	1	-	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-	24
45	Tinodes pallidulus McLachlan, 1878		1	0	-	-	0	6	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
46	Tinodes waeneri (Linnaeus, 1758)		1	1	1	1	1	1	-	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	2	-	-	-	1	-	25
	Ecnomidae, trattnattsländor																																
47	Ecnomus tenellus (Rambur, 1842)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	4	1	1	3	-	-	-	-	-	-	-	-	-	-	-	18
	Polycentropodidae, fångstnätnattsländor																																
48	Cyrnus crenaticornis (Kolenati, 1859)		1	-	-	1	-	1	-	1	-	-	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	11
49	Cyrnus flavidus McLachlan, 1864		1	1	1	1	-	0	-	1	1	1	1	2	1	1	1	1	1	0	1	1	1	1	1	1	-	0	1	1	1	1	27
50	Cyrnus insolutus McLachlan, 1878		1	1	1	1	-	-	-	1	0	1	1	0	1	1	1	1	1	1	1	0	-	-	1	-	-	-	0	-	-	-	19
51	Cyrnus trimaculatus (Curtis, 1834)		1	1	1	1	-	1	-	1	1	1	1	2	1	1	1	1	1	1	1	1	-	1	1	1	1	0	1	-	1	-	25
52	Holocentropus dubius (Rambur, 1842)		1	1	1	1	-	5	-	1	0	1	-	1	1	1	1	1	1	1	1	0	-	1	1	1	1	-	-	-	1	-	22
53	Holocentropus insignis Martynov, 1924		1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	0	-	1	1	1	1	-	1	-	1	1	16
54	Holocentropus picicornis (Stephens, 1836)		1	1	1	1	-	6	-	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	28
55	Holocentropus stagnalis (Albarda, 1874)		-	-	-	1	-	-	-	-	0	-	-	-	-	1	-	-	1	-	-	0	-	-	0	-	-	-	-	-	-	-	-	6
56	Neureclipsis bimaculata (Linnaeus, 1758)		1	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	27
57	Plectrocnemia conjuncta Martynov, 1914		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	-	6
58	Plectrocnemia conspersa (Curtis, 1834)		1	1	1	1	-	5	-	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	1	1	26
59	Polycentropus flavomaculatus (Pictet, 1834)		1	1	1	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
60	Polycentropus irroratus (Curtis, 1835)		1	1	1	1	-	-	-	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	-	1	0	26
	Hydropsychidae, ryssjenattsländor																																
61	Cheumatopsyche lepida (Pictet, 1834)		1	1	1	1	-	-	-	1	1	1	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	26
62	Ceratopsyche nevae (Kolenati, 1858)		-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	17

63	Ceratopsyche silfvenii (Ulmer, 1906)		0	-	0	1	-	-	-	1	-	-	-	-	-	-	-	0	1	1	1	0	0	0	1	1	1	0	1	0	1	0	19
64	Hydropsyche angustipennis (Curtis, 1834)		1	1	1	1	1	1	-	1	1	1	0	2	1	1	1	0	1	1	1	1	4	5	1	-	1	-	1	1	0	-	26
65	Hydropsyche contubernalis McLachlan, 1865		1	0	1	1	-	-	-	2	1	-	-	0	0	0	-	-	1	1	-	1	-	1	-	1	1	1	1	-	1	-	18
66	Hydropsyche pellucidula (Curtis, 1834)		1	1	1	1	-	-	-	1	1	1	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	0	27
67	Hydropsyche saxonica McLachlan, 1884		1	-	0	0	-	-	-	-	-	-	-	-	0	0	0	-	1	-	1	0	0	0	0	1	0	0	1	0	1	0	19
68	Hydropsyche siltalai Döhler, 1963		1	1	1	1	-	0	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	0	28
	Arctopsychidae, rutnätnattsländor																																	
69	Arctopsyche ladogensis (Kolenati, 1859)		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	0	-	1	1	1	1	1	1	1	0	1	1	15
	Phryganeidae, broknattsländor																																	
70	Agrypnetes crassicornis McLachlan, 1876		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0	-	-	-	-	-	-	2
71	Agrypnia czerskyi (Martynov, 1924)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2
72	Agrypnia obsoleta (Hagen, 1864)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
73	Agrypnia pagetana Curtis, 1835		1	1	-	1	-	1	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-	1	1	24
74	Agrypnia picta Kolenati, 1848		1	-	-	1	-	1	-	1	-	-	-	-	1	1	1	1	1	-	1	-	-	1	-	1	1	-	1	-	1	1	16
75	Agrypnia principalis (Martynov, 1909)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2
76	Agrypnia sahlbergi (McLachlan, 1880)	DD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	?	?	?	?	0
77	Agrypnia varia (Fabricius, 1793)		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-	1	1	-	-	1	1	1	-	-	-	1	-	22
78	Hagenella clathrata (Kolenati, 1848)		1	1	-	1	1	1	-	1	1	-	-	-	1	1	-	1	1	-	-	-	1	1	1	1	1	-	1	-	1	-	18
79	Oligostomis reticulata (Linnaeus, 1761)		1	-	1	1	-	6	-	1	1	-	-	1	1	0	0	1	1	0	1	-	-	-	-	1	1	0	1	0	1	1	21
80	Oligotricha lapponica (Hagen, 1864)		1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	1	1	1	1	-	1	1	14
81	Oligotricha striata (Linnaeus, 1758)		1	-	1	1	-	-	-	1	1	-	-	1	1	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	13
82	Phryganea bipunctata Retzius, 1783		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	-	1	1	28
83	Phryganea grandis Linnaeus, 1758		1	1	2	1	1	1	1	1	1	1	1	4	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	29
84	Semblis atrata (Gmelin, 1790)		-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	1	1	1	0	1	0	1	1	1	1	1	-	1	-	17
85	Semblis phalaenoides (Linnaeus, 1758)	NT	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	1	1	1	1	-	-	-	-	1	1	-	-	-	1	-	13
86	Trichostegia minor (Curtis, 1834)		1	1	1	1	1	1	-	1	1	1	1	-	1	1	0	0	1	1	1	1	-	-	1	1	-	-	0	0	-	-	22
	Brachycentridae, bäcknattsländor																																	
87	Brachycentrus subnubilus Curtis, 1834		1	0	1	1	-	-	-	1	1	-	-	-	-	0	1	1	1	1	0	0	0	1	1	1	1	1	-	-	1	-	20
88	Micrasema gelidum McLachlan, 1876		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	0	0	1	0	1	1	1	1	1	0	1	1	14
89	Micrasema setiferum (Pictet, 1834)		-	-	-	-	-	-	-	-	-	-	-	1	-	1	0	1	1	1	1	0	1	1	1	1	-	1	1	-	1	-	15
	Lepidostomatidae, kantrörnattsländor																																	
90	Crunoecia irrorata (Curtis, 1834)	VU	1	-	-	-	-	6	-	-	0	-	-	-	-	0	-	-	1	-	0	-	-	-	-	1	-	-	-	-	-	-	7
91	Lepidostoma hirtum (Fabricius, 1775)		1	1	1	1	-	1	-	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
	Limnephilidae, husmasknattsländor																																	
92	Ironoquia dubia (Stephens, 1837)		1	-	-	0	-	-	-	1	1	0	-	1	0	1	-	-	1	-	1	-	-	-	1	1	-	-	0	-	1	-	14
93	Apatania auricula (Forsslund, 1930)		1	-	1	1	-	-	-	1	1	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	2	-	1	-	1	1	13

94	Apatania dalecarlica (Forsslund, 1942)		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3
95	Apatania forsslundi Tobias, 1981		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2
96	Apatania hispida (Forsslund, 1930)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	1	5
97	Apatania muliebris McLachlan, 1866		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	0	5	1	-	-	-	1	-	-	1	1	8
97a	Apatania n sp?		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
98	Apatania stigmatella (Zetterstedt, 1840)		5	-	-	1	0	-	-	1	1	5	-	-	-	1	-	1	1	-	1	0	1	1	1	1	1	1	1	1	1	1	21
99	Apatania stylata Navas, 1916		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	?	-	-	-	-	-	-	1	-	-	1
100	Apatania wallengreni McLachlan, 1871		-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	13
101	Apatania zonella (Zetterstedt, 1840)		5	-	-	-	-	5	-	2	-	-	-	-	-	5	-	-	1	-	1	-	1	1	-	-	-	1	1	1	1	1	13
102	Ecclisopteryx dalecarlica Kolenati, 1848	NT	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	0	0	1	0	-	-	-	-	-	1	9
103	Annitella obscurata (McLachlan, 1876)		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	1	-	1	2	10
104	Chaetopteryx sahlbergi McLachlan, 1876		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3
105	Chaetopteryx villosa (Fabricius, 1798)		1	1	1	1	-	-	-	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	25
106	Brachypsyche sibirica (Martynov, 1924)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	4
107	Chilostigma sieboldi McLachlan, 1876		-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	1	-	1	1	1	1	11
108	Anabolia concentrica (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	1	1	-	1	1	12
109	Anabolia furcata Brauer, 1857		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
110	Anabolia laevis (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	3
111	Anabolia nervosa (Curtis, 1834)		1	1	1	1	-	-	-	1	1	1	1	1	1	1	1	-	1	0	1	1	1	1	1	1	-	1	1	-	-	-	22
112	Arctopora trimaculata (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	1	1	1	-	1	1	13
113	Asynarchus contumax McLachlan, 1880		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	1	-	1	-	-	1	-	1	1	7
114	Asynarchus impar (McLachlan, 1880)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
115	Asynarchus lapponicus (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	1	1	1	1	9
116	Asynarchus thedenii (Wallengren, 1879)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	1	1	1	6
117	Colpotaulius incisus (Curtis, 1834)		1	1	-	1	1	1	-	1	1	-	-	1	-	1	1	1	1	-	1	-	1	1	1	1	1	-	1	-	1	1	21
118	Glyphotaelius pellucidus (Retzius, 1783)		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	-	1	1	1	1	1	1	1	1	-	28
119	Grammotaulius nigropunctatus (Retzius, 1783)		1	1	1	1	1	1	-	1	-	1	1	1	1	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	16
120	Grammotaulius nitidus (Müller, 1764)		1	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
121	Grammotaulius signatipennis McLachlan, 1876		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	5	1	-	-	-	-	1	-	1	1	9
122	Lenarchus bicornis (McLachlan, 1880)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2
123	Lenarchus productus (Morton, 1896)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	5
124	Limnephilus affinis Curtis, 1834		1	1	1	1	1	1	1	1	-	1	-	-	1	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	15
125	Limnephilus algosus (McLachlan, 1868)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	1	1	1	9
126	Limnephilus auricula Curtis, 1834		1	1	5	1	1	1	-	1	1	1	1	1	1	1	1	-	1	-	0	1	-	-	-	1	-	-	-	-	1	-	19
127	Limnephilus binotatus Curtis, 1834		1	1	1	1	1	1	-	1	1	-	-	1	1	1	1	1	1	-	1	-	-	1	1	1	-	-	-	-	1	-	19
128	Limnephilus bipunctatus Curtis, 1834		1	1	-	1	1	1	-	1	1	1	1	1	1	1	1	-	-	-	-	0	-	-	-	1	-	-	-	-	-	-	15

129	Limnephilus borealis (Zetterstedt, 1840)		1	1	1	1	-	1	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27
130	Limnephilus centralis Curtis, 1834		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	-	1	1	-	1	-	26
131	Limnephilus coenosus Curtis, 1834		1	-	1	1	-	-	-	1	-	5	1	-	-	1	-	1	1	-	1	0	1	1	1	1	1	1	1	1	1	1	1	21
132	Limnephilus decipiens (Kolenati, 1848)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	0	1	1	1	1	1	-	1	1	1	1	-	-	-	1	-	24
133	Limnephilus diphyes McLachlan, 1880		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	4
134	Limnephilus dispar McLachlan, 1875		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	6
135	Limnephilus elegans Curtis, 1834		1	1	1	1	1	1	-	1	-	-	-	-	1	1	-	1	1	1	1	1	-	-	1	1	1	-	1	1	-	1	1	20
136	Limnephilus externus Hagen, 1861		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	-	1	1	2	-	1	1	1	1	11
137	Limnephilus extricatus McLachlan, 1865		1	1	1	1	0	-	-	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	-	27
138	Limnephilus femoralis Kirby, 1837		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	-	-	1	1	-	1	1	1	1	10
139	Limnephilus femoratus (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	14
140	Limnephilus fenestratus (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	10
141	Limnephilus flavicornis (Fabricius, 1787)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	-	1	-	1	-	25
142	Limnephilus fuscicornis Rambur, 1842		1	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-	25
143	Limnephilus fuscinervis (Zetterstedt, 1840)		1	-	-	1	-	-	-	-	-	1	-	1	-	1	1	1	1	-	1	-	-	1	1	1	1	-	1	1	-	-	15
144	Limnephilus germanus McLachlan, 1875		-	-	-	1	-	-	-	1	-	-	-	1	1	1	4	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	10
145	Limnephilus griseus (Linnaeus, 1758)		1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	-	1	1	1	2	1	1	-	1	-	26
146	Limnephilus hirsutus (Pictet, 1834)		1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
147	Limnephilus ignavus McLachlan, 1865		1	1	5	1	-	-	-	1	1	5	-	1	1	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	14
148	Limnephilus lunatus Curtis, 1834		1	1	1	1	1	1	-	1	1	1	1	-	1	1	0	-	1	-	1	1	5	1	1	1	1	-	1	-	-	-	22
149	Limnephilus luridus Curtis, 1834		1	-	1	1	-	-	-	2	1	5	-	1	2	1	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	10
150	Limnephilus marmoratus Curtis, 1834		1	1	1	1	-	1	-	1	1	1	1	-	1	1	1	1	1	5	1	-	-	-	1	1	-	-	-	-	-	2	19
151	Limnephilus nigriceps (Zetterstedt, 1840)		1	0	-	1	1	0	-	1	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
152	Limnephilus pantodapus McLachlan, 1875		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	13
153	Limnephilus picturatus McLachlan, 1875		-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	5	-	1	1	-	1	1	-	1	1	12
154	Limnephilus politus McLachlan, 1865		1	-	1	1	-	-	-	1	1	1	1	-	1	1	0	-	1	1	1	1	1	1	1	1	1	1	1	-	1	-	22
155	Limnephilus quadratus Martynov, 1914		-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	6
156	Limnephilus rhombicus (Linnaeus, 1758)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
157	Limnephilus sericeus (Say, 1824)		1	1	1	1	-	-	-	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	26
158	Limnephilus sparsus Curtis, 1834		1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	5	1	1	1	1	-	1	-	1	1	27
159	Limnephilus stigma Curtis, 1834		1	1	5	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	29
160	Limnephilus subcentralis Brauer, 1857		1	1	-	1	1	1	-	1	1	5	1	1	1	1	1	1	1	-	1	-	-	1	1	1	-	-	-	-	-	-	19
161	Limnephilus subnitidus McLachlan, 1875		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	1	1	-	9
162	Limnephilus tauricus Schmid, 1964		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
163	Limnephilus vittatus (Fabricius, 1798)		1	1	1	1	1	1	-	1	1	1	-	-	1	1	-	-	1	-	1	-	1	-	1	1	1	-	1	-	1	1	20
164	Nemotaulius punctatolineatus (Retzius, 1783)		1	1	5	1	-	0	-	1	1	-	1	4	1	1	1	1	1	0	1	-	-	0	1	1	1	1	1	1	1	-	24

165	Phacopteryx brevipennis (Curtis, 1834)		1	1	1	1	1	-	-	1	1	-	-	1	1	1	1	1	1	0	1	1	5	1	1	1	1	1	1	1	1	1	26
166	Rhadicoleptus alpestris (Kolenati, 1848)		1	1	1	1	-	1	-	1	1	1	-	-	1	1	1	1	1	1	1	-	5	1	1	1	1	1	1	1	1	1	25
167	Halesus digitatus (Schrank, 1781)		1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	1	-	1	-	2	-	1	-	1	1	13
168	Halesus radiatus (Curtis, 1834)		1	1	1	1	1	5	-	1	1	5	-	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27
169	Halesus tesselatus (Rambur, 1842)		1	1	5	1	-	-	-	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	25
170	Hydatophylax infumatus (McLachlan, 1865)		0	-	0	1	-	-	-	-	0	-	-	-	-	-	-	1	1	-	1	0	-	1	1	1	-	1	1	-	1	-	14
171	Micropterna lateralis (Stephens, 1837)		1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	1	1	1	2	-	5	1	1	1	-	1	1	-	1	-	24
172	Micropterna sequax McLachlan, 1875		1	1	1	1	1	1	-	1	1	1	1	-	1	1	0	-	1	1	1	0	4	1	1	1	2	-	1	-	1	1	25
173	Parachiona picicornis (Pictet, 1834)		1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	1	-	-	-	11
174	Potamophylax cingulatus (Stephens, 1837)		1	1	-	0	-	-	-	2	-	-	-	-	-	-	-	-	1	0	1	1	1	0	1	1	2	0	1	1	1	1	18
175	Potamophylax latipennis (Curtis, 1834)		0	-	0	0	-	-	-	1	-	1	-	-	-	-	-	1	1	1	1	1	1	1	1	1	2	1	1	-	1	1	19
176	Potamophylax nigricornis (Pictet, 1834)		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	0	0	5	1	1	1	-	-	1	-	1	1	12
177	Potamophylax rotundipennis (Brauer, 1857)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
178	Stenophylax permistus McLachlan, 1895		1	1	1	1	1	1	1	1	1	5	1	-	1	1	1	0	1	1	-	-	-	-	1	-	-	1	-	-	-	-	19
	Goeridae, grusrörnattsländor																																
179	Goera pilosa (Fabricius, 1775)		1	1	1	1	-	-	-	1	1	1	1	1	0	1	1	1	1	1	1	0	1	1	1	1	-	-	1	-	-	-	22
180	Silo pallipes (Fabricius, 1781)		1	1	1	1	-	-	-	1	1	1	-	1	0	-	0	0	1	0	0	0	0	1	1	1	0	0	1	0	1	-	24
	Beraeidae, sandrörnattsländor																																
181	Beraea maura (Curtis, 1834)	NT	1	-	0	-	-	1	-	3	0	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
182	Beraea pullata (Curtis, 1834)		1	-	1	1	-	1	-	1	1	1	1	1	0	1	0	1	1	0	1	-	1	1	1	1	1	0	1	-	0	1	25
183	Beraeodes minutus (Linnaeus, 1761)		1	-	0	1	-	-	-	1	0	-	-	-	0	0	1	-	1	0	1	5	0	0	1	1	1	0	-	-	1	-	19
184	Ernodes articularis (Pictet, 1834)	DD	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Sericostomatidae, krumrörnattsländor																																
185	Notidobia ciliaris (Linnaeus, 1761)		1	1	1	1	-	-	-	1	1	1	1	1	0	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	14
186	Sericostoma personatum (Spence in Kirby & Spence, 1826)		1	1	1	1	-	0	-	1	1	1	-	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	0	27
	Odontoceridae, böjrörnattsländor																																
187	Odontocerum albicorne (Scopoli, 1763)	NT	1	0	0	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
	Molannidae, skivrörnattsländor																																
188	Molanna albicans (Zetterstedt, 1840)		1	-	1	1	-	-	-	1	1	-	1	-	-	-	1	-	1	-	1	-	1	1	1	1	1	1	1	1	1	1	19
189	Molanna angustata Curtis, 1834		1	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27
190	Molanna nigra (Zetterstedt, 1840)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2
191	Molanna submarginalis McLachlan, 1872	DD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	0	6
192	Molannodes tinctus (Zetterstedt, 1840)		0	1	1	1	-	-	-	1	1	1	1	1	0	0	1	1	1	1	1	1	4	1	1	1	1	0	1	1	1	1	27
	Leptoceridae, longhornssländor																																
193	Adicella reducta (McLachlan, 1865)		0	1	1	1	-	-	-	-	0	1	-	-	0	-	1	0	1	-	1	4	-	-	0	-	-	-	-	-	-	-	13
194	Athripsodes albifrons (Linnaeus, 1758)		1	0	1	1	-	-	-	1	1	1	1	0	4	1	1	1	1	1	1	0	-	1	1	1	-	1	1	-	-	-	22

195	Athripsodes aterrimus (Stephens, 1836)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	-	28
196	Athripsodes cinereus (Curtis, 1834)		1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
197	Athripsodes commutatus (Rostock, 1874)		1	-	1	-	-	-	-	1	1	1	-	0	-	1	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
198	Ceraclea alboguttata (Hagen, 1860)		-	1	1	1	-	-	-	1	1	-	1	4	-	1	1	-	1	1	3	1	1	1	1	1	1	1	-	-	1	-	20
199	Ceraclea annulicornis (Stephens, 1836)		1	0	0	1	1	1	1	1	1	1	1	0	0	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
200	Ceraclea dissimilis (Stephens, 1836)		1	1	1	1	-	-	-	1	0	-	1	4	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	25
201	Ceraclea excisa (Morton, 1904)	DD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	1	-	4
202	Ceraclea fulva (Rambur, 1842)		1	1	1	1	1	1	-	1	0	-	1	-	0	1	1	-	1	0	2	1	1	-	1	1	2	1	1	1	1	2	25
203	Ceraclea nigronervosa (Retzius, 1783)		1	1	1	1	-	-	-	1	1	1	-	0	0	1	0	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	26
204	Ceraclea perplexa (McLachlan, 1877)		-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	1	1	1	0	1	1	16
205	Ceraclea senilis (Burmeister, 1839)		1	1	1	1	-	1	-	1	1	1	1	1	4	1	1	1	1	1	1	1	1	-	1	1	1	-	0	1	-	-	-	23
206	Erotesis baltica McLachlan, 1877		1	1	1	1	1	-	-	1	-	0	1	1	0	1	4	0	1	-	1	4	-	1	1	1	-	-	-	-	-	-	19
207	Leptocerus tineiformis Curtis, 1834	NT	1	1	-	2	-	-	-	2	-	-	-	4	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
208	Mystacides azurea (Linnaeus, 1761)		1	1	1	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
209	Mystacides longicornis (Linnaeus, 1758)		1	1	1	1	1	1	-	1	1	1	1	0	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
210	Mystacides nigra (Linnaeus, 1758)		1	1	-	1	-	1	-	1	1	-	-	-	1	1	-	1	1	-	2	4	1	1	1	1	1	0	0	1	1	-	21
211	Oecetis furva (Rambur, 1842)	NT	1	1	2	1	1	1	-	1	1	-	1	2	-	1	1	1	1	1	1	1	1	-	-	0	-	-	-	-	-	-	-	18
212	Oecetis lacustris (Pictet, 1834)		1	1	1	1	-	1	-	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	-	26
213	Oecetis notata (Rambur, 1842)		1	1	1	1	-	-	-	1	1	-	-	0	1	1	1	-	1	0	0	-	-	-	-	1	-	-	-	-	-	-	-	14
214	Oecetis ochracea (Curtis, 1825)		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	-	29
215	Oecetis testacea (Curtis, 1834)		1	1	1	1	-	-	-	1	1	1	1	0	0	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	26
216	Setodes argentipunctellus McLachlan, 1877		1	0	1	1	-	-	-	0	1	-	1	0	0	1	0	0	0	1	4	0	-	-	-	-	-	-	-	-	-	-	-	16
217	Setodes punctatus (Fabricius, 1793)	VU	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
218	Triaenodes bicolor (Curtis, 1834)		1	-	1	1	1	1	-	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	25
219	Triaenodes unanimis McLachlan, 1877		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	5
220	Ylodes detruncatus (Martynov, 1924)		-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
221	Ylodes reuteri (McLachlan, 1880)		1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	6
222	Ylodes simulans (Tjeder, 1929)		1	1	1	1	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-	1	-	1	1	-	-	1	-	14
			Sk	**Bl**	**Ha**	**Sm**	**Öl**	**Go**	**GS**	**Ög**	**Vg**	**Bo**	**Ds**	**Nä**	**Sö**	**Up**	**Vs**	**Vr**	**Dr**	**Gä**	**Hs**	**Me**	**Hr**	**Jä**	**Ån**	**Vb**	**Nb**	**Ås**	**Ly**	**Pi**	**Lu**	**To**			
	Antal arter/ No. of species		**147**	**107**	**126**	**148**	**50**	**79**	**10**	**134**	**124**	**96**	**80**	**102**	**109**	**138**	**115**	**106**	**175**	**112**	**158**	**116**	**105**	**134**	**157**	**158**	**130**	**108**	**130**	**73**	**153**	**90**			

1 Gullefors, B. 2002. Sveriges nattsländor (Trichoptera), en provinskatalog med nyare fynduppgifter. - Ent. Tidskr. 123: 131-147.

2 Gullefors, B. 2003. Nya svenska provinsfynd av nattsländor (Trichoptera). - Ent. Tidskr. 124: 193-199.

3 Gullefors, B. 2004. Nya provinsfynd av nattsländor (Trichoptera) i Sverige 2003. – Ent. Tidskr. 125: 71-73.

4 Gullefors, B. 2005. Nya provinsfynd av nattsländor (Trichoptera) i Sverige 2004. – Ent. Tidskr. 126: 117-120.

5 Gullefors, B. 2006. Hydroptila lotensis Mosely, 1920, en ny nattslända (Trichoptera) för Sverige och nya provinsfynd av nattsländor 2003 - 2005. – Ent. Tidskr. 127 (3): 135-141.

6 Gullefors, B. 2007. Nattsländor (Trichoptera) på Gotland. (manuskript)
0 Larver bestämda av flera personer (se Gullefors 2002, 2003)
x Larver Jörlandaån, Smedseröd 28.10.2002 (P. Wiberg-Larsen pers. medd.)

1 Gullefors, B. 2002. The Swedish Trichoptera, a check-list with records for the Swedish provinces. - Ent. Tidskr. 123: 131-147.
2 Gullefors, B. 2003. New records of Trichoptera for the Swedish provinces. - Ent. Tidskr. 124: 193-199.
3 Gullefors, B. 2004. New records of Trichoptera for the Swedish provinces in 2003. – Ent. Tidskr. 125: 71-73.
4 Gullefors, B. 2005. New records of Trichoptera for Swedish provinces in 2004. – Ent. Tidskr. 126: 117-120.
5 Gullefors, B. 2006. The first record of Hydroptila lotensis Mosely, 1920 (Trichoptera: Hydroptilidae) from Sweden, with new records of Trichoptera for the Swedish provinces. – Ent. Tidskr. 127 (3): 135-141.
6 Gullefors, B. 2007. Trichoptera on the Island of Gotland in the Baltic. (manuscript)
0 Larvae determined by several persons (see Gullefors 2002, 2003)
x Larvae Jörlandaån, Smedseröd 28.10.2002 (P. Wiberg-Larsen pers. com.)